

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 6.0 (replaces version 5.1)

Revision: 08.12.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name:** **Wood Putty**

**Article number:** 7350

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

#### Application of the substance / the mixture

Knifing filler/ Surfacer  
Coating

#### 1.3 Details of the supplier of the safety data sheet

**Manufacturer/Supplier:** Osmo Holz und Color GmbH & Co. KG  
Affhüppen Esch 12  
D-48231 Warendorf  
Germany

#### Further information obtainable from:

Product safety department  
Tel.: +49 (0) 251 / 692 - 188  
Fax: +49 (0) 251 / 692 - 462  
e-mail: [helmut.starp@osmo.de](mailto:helmut.starp@osmo.de)

#### 1.4 Emergency telephone number:

emergency phone no. Berlin (24h): +49 (0) 30 / 30686 790 advisory service in German and English

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to

**Regulation (EC) No 1272/2008** The product is not classified, according to the CLP regulation.

##### Additional information:

HSNO Classes: Voit  
For the wording of the listed hazard phrases refer to section 16.

#### 2.2 Label elements

**Hazard pictograms** Void

**Signal word** Void

**Hazard statements** Void

**Precautionary statements** P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P262 Do not get in eyes, on skin, or on clothing.

##### Additional information:

EUH208 Contains 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one.  
May produce an allergic reaction.  
EUH210 Safety data sheet available on request.  
Contains biocidal products: 1,2-benzisothiazol-3(2H)-one, 2-methyl-2H-isothiazol-3-one

#### 2.3 Other hazards

Always wear a dust mask when sanding.

(Contd. on page 2)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 6.0 (replaces version 5.1)

Revision: 08.12.2023

**Trade name: Wood Putty**

(Contd. of page 1)

Observe the general safety regulations when handling chemicals.

**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****3.2 Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazol-3(2H)-one --- ☠ Eye Dam. 1, H318; ☠ Aquatic Acute 1, H400; ⚠ Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	<0.035%
CAS: 2682-20-4 EINECS: 220-239-6 Index number: 613-326-00-9	2-methyl-2H-isothiazol-3-one --- ☠ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; ☠ Skin Corr. 1B, H314; Eye Dam. 1, H318; ☠ Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); ⚠ Skin Sens. 1A, H317, EUH071 Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	<0.0015%

**SVHC** Not applicable.**Additional information:** For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures****General information:** Immediately remove any clothing soiled by the product.**After inhalation:** Supply fresh air; consult doctor in case of complaints.**After skin contact:** Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

If skin irritation or rash occurs: Get medical advice/attention.

**After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.**After swallowing:** If symptoms persist consult doctor.**4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**4.3 Indication of any****immediate medical attention****and special treatment needed** No further relevant information available.

(Contd. on page 3)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 6.0 (replaces version 5.1)

Revision: 08.12.2023

**Trade name: Wood Putty**

(Contd. of page 2)

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing

**agents:** Use fire extinguishing methods suitable to surrounding conditions.

##### For safety reasons unsuitable

**extinguishing agents:** None known.

#### 5.2 Special hazards arising

##### from the substance or

##### mixture

In case of fire, the following can be released:

#### 5.3 Advice for firefighters

**Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Product forms slippery surface when combined with water.  
Wear protective clothing.

##### For non-emergency

##### personnel

No action shall be taken involving any personal risk or without suitable training.

##### For emergency responders

Wear protective equipment. Keep unprotected persons away.

#### 6.2 Environmental

##### precautions:

Do not allow to enter sewers/ surface or ground water.

#### 6.3 Methods and material for

**containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Dispose of the material collected according to regulations.

Warm water and cleansing agent

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Open and handle receptacle with care.

Avoid contact with skin and eyes.

#### General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not eat, drink, smoke or sniff while working.

(Contd. on page 4)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 6.0 (replaces version 5.1)

Revision: 08.12.2023

**Trade name: Wood Putty**

(Contd. of page 3)

Do not carry product impregnated cleaning cloths in trouser pockets.

**Information about fire - and explosion protection:**

No special measures required.

**7.2 Conditions for safe storage, including any incompatibilities**
**Storage:**
**Requirements to be met by storerooms and receptacles:**

No special requirements.

**Information about storage in one common storage facility:**

Not required.

**Further information about storage conditions:**

Protect from frost.

**Recommended storage temperature:**

+10 °C - +25 °C

**Storage class:**

TRGS 510 storage class: 12 non-flammable liquids that can not be assigned to any other storage class.

**7.3 Specific end use(s)**

No further relevant information available.

### SECTION 8: Exposure controls/personal protection

**8.1 Control parameters**
**Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**DNELs**
**2634-33-5 1,2-benzisothiazol-3(2H)-one**

Dermal	DNEL Arbeitnehmer (Langzeit - systemische Effekte)	0.966 mg/kgKG/Tag
	DNEL Verbraucher (Langzeit - systemische Effekte)	0.345 mg/cm <sup>2</sup>
Inhalative	Worker (chronic - Systemic health effec)	6.81 mg/m <sup>3</sup>
	DNEL Verbraucher (Lanzzeit - systemische Effekte)	1.2 mg/m <sup>3</sup>

**Additional information:** The lists valid during the making were used as basis.

**8.2 Exposure controls**
**Appropriate engineering controls**

Ensure good ventilation/exhaustion at the workplace.

**Individual protection measures, such as personal protective equipment**
**General protective and hygienic measures:**

Wash hands before breaks and at the end of work.

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat, drink, smoke or sniff while working.

See Section 7 for information on safe handling.

(Contd. on page 5)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 6.0 (replaces version 5.1)

Revision: 08.12.2023

**Trade name: Wood Putty**

(Contd. of page 4)

<b>Respiratory protection:</b>	Not necessary if room is well-ventilated. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.
<b>Hand protection</b>	To avoid skin problems reduce the wearing of gloves to the required minimum. Preventive skin protection by use of skin-protecting agents is recommended.
<b>Material of gloves</b>	The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
<b>Penetration time of glove material</b>	The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
<b>Eye/face protection</b>	Goggles recommended during refilling
<b>Body protection:</b>	Protective work clothing

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

##### General Information

<b>Physical state</b>	Fluid
<b>Colour:</b>	Light grey
<b>Odour:</b>	Light
<b>Odour threshold:</b>	Not determined.
<b>Melting point/freezing point:</b>	Undetermined.
<b>Boiling point or initial boiling point and boiling range</b>	100 °C
<b>Flammability</b>	Not applicable.
<b>Lower and upper explosion limit</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
<b>Flash point:</b>	Not applicable.
<b>Auto-ignition temperature:</b>	Undetermined
<b>Decomposition temperature:</b>	Undetermined
<b>pH at 20 °C</b>	7
<b>Viscosity:</b>	
<b>Kinematic viscosity at 20 °C</b>	6,372.5 mm <sup>2</sup> /s (DIN 53211/4mm)
<b>Dynamic at 20 °C:</b>	6,500 mPas
<b>Solubility water:</b>	Fully miscible.
<b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
<b>Vapour pressure at 20 °C:</b>	23 hPa

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 6.0 (replaces version 5.1)

Revision: 08.12.2023

**Trade name: Wood Putty**

(Contd. of page 5)

**Density and/or relative density**

<b>Density at 20 °C:</b>	1.02 g/cm <sup>3</sup> (DIN 51757)
<b>Relative density</b>	Not determined.

**9.2 Other information****Appearance:**

<b>Form:</b>	Viscous
--------------	---------

**Important information on protection of health and environment, and on safety.**

<b>Ignition temperature:</b>	Product is not selfigniting.
------------------------------	------------------------------

<b>Explosive properties:</b>	Product does not present an explosion hazard.
------------------------------	-----------------------------------------------

**Change in condition**

<b>Evaporation rate</b>	Not determined.
-------------------------	-----------------

**Information with regard to physical hazard classes**

<b>Explosives</b>	Void
<b>Flammable gases</b>	Void
<b>Aerosols</b>	Void
<b>Oxidising gases</b>	Void
<b>Gases under pressure</b>	Void
<b>Flammable liquids</b>	Void
<b>Flammable solids</b>	Void
<b>Self-reactive substances and mixtures</b>	Void
<b>Pyrophoric liquids</b>	Void
<b>Pyrophoric solids</b>	Void
<b>Self-heating substances and mixtures</b>	Void
<b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
<b>Oxidising liquids</b>	Void
<b>Oxidising solids</b>	Void
<b>Organic peroxides</b>	Void
<b>Corrosive to metals</b>	Void
<b>Desensitised explosives</b>	Void

**SECTION 10: Stability and reactivity**

<b>10.1 Reactivity</b>	No further relevant information available.
------------------------	--------------------------------------------

**10.2 Chemical stability****Thermal decomposition /**

<b>conditions to be avoided:</b>	No decomposition if used and stored according to specifications.
----------------------------------	------------------------------------------------------------------

**10.3 Possibility of hazardous reactions**

No dangerous reactions known.
-------------------------------

<b>10.4 Conditions to avoid</b>	No further relevant information available.
---------------------------------	--------------------------------------------

<b>10.5 Incompatible materials:</b>	No further relevant information available.
-------------------------------------	--------------------------------------------

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 6.0 (replaces version 5.1)

Revision: 08.12.2023

**Trade name: Wood Putty**

(Contd. of page 6)

**10.6 Hazardous****decomposition products:** No dangerous decomposition products known.**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity** Based on available data, the classification criteria are not met.**LD/LC50 values relevant for classification:****2634-33-5 1,2-benzisothiazol-3(2H)-one**

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rat)

**2682-20-4 2-methyl-2H-isothiazol-3-one**

Oral	LD50	50 mg/kg (rat) (OECD401)
Dermal	LD50	200 mg/kg (rat) (OECD402)
Inhalative	LC50 / 4h	>0.05 mg/l (rat) (OECD403 Aerosol)

**Skin corrosion/irritation** Based on available data, the classification criteria are not met.**Serious eye damage/irritation** Based on available data, the classification criteria are not met.**Respiratory or skin****sensitisation**

Based on available data, the classification criteria are not met.

**Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

**Carcinogenicity**

Based on available data, the classification criteria are not met.

**Reproductive toxicity**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Subacute to chronic toxicity:** Based on available data, the classification criteria are not met.**Additional toxicological****information:**

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

**Sensitisation**

Contains 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

**11.2 Information on other hazards****Endocrine disrupting properties**

None of the ingredients is listed.

(Contd. on page 8)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 6.0 (replaces version 5.1)

Revision: 08.12.2023

**Trade name: Wood Putty**

(Contd. of page 7)

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Aquatic toxicity:

##### 2634-33-5 1,2-benzisothiazol-3(2H)-one

EC50/ 72h	0.15 mg/l (algae)
LC50 / 96h	1.3–1.6 mg/l (fish)
LC50 / 48h	1.5–3.3 mg/l (Daphnia magna)
NOEC / 3 days	0.0403 mg/l (algae)

##### 2682-20-4 2-methyl-2H-isothiazol-3-one

EC50/ 72h (Static)	0.1 mg/l (algae) (OECD201)
--------------------	----------------------------

#### 12.2 Persistence and degradability

No further relevant information available.

#### 12.3 Bioaccumulative potential

##### 2682-20-4 2-methyl-2H-isothiazol-3-one

log POW	<3
---------	----

#### 12.4 Mobility in soil

No further relevant information available.

#### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

#### 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

#### 12.7 Other adverse effects

##### Additional ecological information:

**General notes:** Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

##### Recommendation

Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

##### European waste catalogue

08 01 20	aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19
15 01 02	plastic packaging

##### Uncleaned packaging:

##### Recommendation:

Disposal must be made according to official regulations.

(Contd. on page 9)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 6.0 (replaces version 5.1)

Revision: 08.12.2023

**Trade name: Wood Putty**

(Contd. of page 8)

**Recommended cleansing agents:**

Water, if necessary together with cleansing agents.

**SECTION 14: Transport information**

<b>14.1 UN number or ID number</b> ADR, ADN, IMDG, IATA	Not applicable
<b>14.2 UN proper shipping name</b> ADR, ADN, IMDG, IATA	Not applicable
<b>14.3 Transport hazard class(es)</b> ADR, ADN, IMDG, IATA Class	Not applicable
<b>14.4 Packing group</b> ADR, IMDG, IATA	Not applicable
<b>14.5 Environmental hazards:</b> <b>Marine pollutant:</b>	No
<b>14.6 Special precautions for user</b>	Not applicable.
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
<b>UN "Model Regulation":</b>	Not applicable

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Directive 2012/18/EU****Named dangerous****substances - ANNEX I**

None of the ingredients is listed.

**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

**REGULATION (EU) 2019/1148****Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

**Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

(Contd. on page 10)

**Safety data sheet**  
 according to 1907/2006/EC, Article 31

Printing date 08.12.2023

Version number 6.0 (replaces version 5.1)

Revision: 08.12.2023

**Trade name: Wood Putty**

(Contd. of page 9)

**Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

**Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

**15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

<b>Relevant phrases</b>	H301	Toxic if swallowed.
	H302	Harmful if swallowed.
	H311	Toxic in contact with skin.
	H314	Causes severe skin burns and eye damage.
	H315	Causes skin irritation.
	H317	May cause an allergic skin reaction.
	H318	Causes serious eye damage.
	H330	Fatal if inhaled.
	H400	Very toxic to aquatic life.
	H410	Very toxic to aquatic life with long lasting effects.
	EUH071	Corrosive to the respiratory tract.

**Classification according to**

**Regulation (EC) No 1272/2008** The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

**Department issuing SDS:** product safety department

**Contact:** Hr. Dr. Starp

**Date of previous version:** 25.10.2021

**Version number of previous version:** 5.1

**Abbreviations and acronyms:** ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 DNEL: Derived No-Effect Level (REACH)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 SVHC: Substances of Very High Concern  
 vPvB: very Persistent and very Bioaccumulative

(Contd. on page 11)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 08.12.2023

Version number 6.0 (replaces version 5.1)

Revision: 08.12.2023

**Trade name: Wood Putty**

(Contd. of page 10)

Acute Tox. 3: Acute toxicity – Category 3  
 Acute Tox. 4: Acute toxicity – Category 4  
 Acute Tox. 2: Acute toxicity – Category 2  
 Skin Corr. 1B: Skin corrosion/irritation – Category 1B  
 Skin Irrit. 2: Skin corrosion/irritation – Category 2  
 Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
 Skin Sens. 1: Skin sensitisation – Category 1  
 Skin Sens. 1A: Skin sensitisation – Category 1A  
 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

**Sources**

ESIS : European chemical Substances Information System  
 ECHA Portal  
 Safety data sheets from raw material suppliers

**\* Data compared to the  
 previous version altered.**

Additions, Deletions, Revisions  
 Updated according to regulation (EU) 2020/878 amending regulation (EC) No:  
 1907/2006 (REACH)